

Index to:  
The  
Practical  
Beekeeper  
Volumes I, II & III  
by Michael Bush

Index to: The Practical Beekeeper Volume I, II & III

This index is valid for all three separate volumes and the complete book.

Copyright © 2015 by Michael Bush

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means without written permission of the author.

Cover Photo © 2011 Alex Wild [www.alexanderwild.com](http://www.alexanderwild.com)

ISBN: 978-161476-075-7

**X-Star Publishing Company**

## About This Index:

I had originally planned to have an index for the book when it was released, but as I worked on getting it done it became obvious that it would delay the release of the book by at least a year or more. That turned out to be true as it took four more years to get it completed. But here it is at last. I apologize that it is a separate book but have tried to keep the cost at a minimum.

This index is valid for all editions and all volumes that do not have their own index. The page numbering for the separate volumes has always been the same as the complete set. So if, for example, you have just Volume one, this index will work. Of course you may find more entries on that topic that fall into other volumes that you don't have. The page numbering on the index picks up where the three volume book leaves off.

—Michael Bush

# Index to: *The Practical Beekeeper*

---

- absconding, 83, 183
- acaracide, 10, 31, 36, 110, 434, 435, 594
- Acarapis
  - A. dorsalis, 184
  - A. externus, 184
  - A. woodi, 183, *See* tracheal mite
- Africanized honey bee, 7, 184, 380, 407, 478
  - cell size, 377
  - Varroa mite, 380
- American foulbrood (AFB), 103, 186, 192, 238
- Apis mellifera mellifera. *See* native bees
- Apistan, 35, 110, 114, 117, 267, 594, 628, *See* fluvalinate
- bait hive, 188, 475, 476, 514
- Baudoux, 10, 30, 356, 362
- bears, 87
- bee escape, 152, 189, 201, 233
- bee math, 167, 437
- bee parasitic mite syndrome. *See* parasitic mite syndrome
- bee vacuum, 472
- beekeeping philosophy, 45, 266
- beespace, 580
- BLUF (Bottom Line Up Front), 3–5, 87, 166
- breaking brood cycle, 106
- Brother Adam, 161, 174, 548, 597
  - Buckfast bees, 195, 440
- cell size
  - drone, 362
  - Honey Super Cell, 361
  - PermaComb, 361
  - Varroa, 29
- chalkbrood, 42, 100, 101, 102, 197
  - Ascospaera apis, 435

- CheckMite, 35, 110, 116, 267, *See* coumaphos
- Collison, Clarence, 31
- Colony Collapse Disorder (CCD), 200, 628
  - Israeli Acute Paralysis Virus, 219
- comb, 20, 26, 133, 159, 200, 251, 363
  - bar width, 549
  - brace comb, 194
  - brood comb, 253, 346, 349
  - burr comb, 157, 181, 195, 288
  - cell size, 361
  - drawn, 205, 211
  - drone comb, 31, 69, 125, 165, 205, 289, 406, 606
  - guide, 549, 550
  - Housel positioning theory, 218
  - messed up, 78, 81, 140, 397
  - movable comb, 226, 241, 248
  - natural comb, 10, 48, 59, 77, 140, 227, 365, 369, 378, 383, 385
  - replacing, 34
  - scientific studies, 605
  - wax moth, 93
  - width (thickness), 11, 366, 375
- comb honey, 28, 68, 70, 143, 200, 238, 240, 247
- confine
  - confine queen, 352
- contamination, 36, 92, 385
  - Maryann Frazier, 30
- coumaphos, 110, 267, 398, 629, *See* CheckMite
- DCA. *See* drone congregation area
- different profit formula, 44
- disease, 11, 96, 105, 106
- disease resistance, 478
  - small cell, 106
- division board feeder. *See* frame feeder
- drone, 21–22, 205, 348, 429
  - cell size, 70, 363, 365
  - drone brood, 112, 349, 401, 543
  - drone egg, 20, 168
  - drone escape, 273
  - frame spacing, 403, 406

- drone (cont.)
  - life cycle, 437, 491, 591
  - mating, 461
  - natural cell size, 10
  - queen excluder, 79
  - when to split, 349
- drone congregation area, 16, 21, 162, 206, 437, 491, 591
- Dzierzon, Jan, 581, 583
  - natural cell size, 375
- eight frame medium, 48, 52, 63, 72, 85, 279, 297, 423, 507, 515
- enemies of bees, 87
- equipment
  - American foulbrood (AFB), 104, 159
  - box jig, 568
  - essential, 57
  - lighter, 515
  - miscellaneous, 573
  - used, 159
  - wax dipping, 525
- European foulbrood (EFB), 102, 225, 243, 246
- feeder
  - baggie feeder, 80, 188, 305
  - Boardman feeder, 192, 309
  - bottom board feeder, 54, 80, 418, 423, 426
  - considerations, 307
  - frame feeder, 80, 204, 209, 212, 305, 308
  - jar feeder, 309
  - Jay Smith bottom board feeder, 192, 313, 320
  - Miller feeder, 311, See top feeder
  - top feeder, 46, 305
  - types, 308–26
- feeding, 46, 128
  - honeycomb, 276
  - honeycomb versus syrup, 285
  - natural food, 41–42
  - pollen substitute, 135
  - winter, 136
- feral bees, 372, 464, 466–71
  - acclimatized, 478
  - acquiring, 471

## feral bees (cont.)

- beelining, 191
- myths, 127–28
- versus wild bees, 210
- winter cluster, 410, 420

fluvalinate, 267, 398, *See* Apistan

foraging distance, 161

## foundation

- 4.9 mm, 356
- 5.4 mm, 356
- contamination, 10
- Honey Super Cell, 45, 51, 63, 69, 138
- natural cell size, 356–78
- PermaComb, 45, 51, 52, 63, 69
- plastic, 138
- small cell, 356
- small cell plastic, 51
- small cell wax, 51
- standard, 356
- wax, 139

four simple steps to healthy bees, 29

## frame

- 10 frame, 48, 50, 246
- 8 frame, 48, 51, 207, 582
- depth, 49–50
- foundationless, 32, 68, 139, 282, 386, 390, 399
- Hoffman, 215, 240
- interchangeable, 60
- kinds, 70
- Mann Lake PF120, 51, 53, 71, 359
- movable, 227
- narrow*, 400–409
- number, 50–51
- number of cells, 180
- plastic, 45, 71, 231
- spacing, 156, 158, 366, 378
- style, 51

## frames

- narrow, 584

Fumagilin-B, 97, 212

Fumagilin-B, 100

Fumidil-B. *See* Fumagilin-B

genetics, 29, 38, 44, 101, 139, 140, 593

Genetics, 461

hive

bearding, 176

clustering, 416

contamination, 10, 110

drones, 21, 125

ecology, 36–37, 43, 434–36

frame depth, 49

horizontal. *See* horizontal hive

hot, 462

installing packages, 76–86

landing board, 134

Langstroth, 202, 222, 546, 555, 581

location, 72–75

losses, 140–41

microbes, 110

moisture, 97, 101, 302, 416, 418, 426

moving, 130

natural comb, 397

not painting, 587

nucleus hive, 63–64, 66, 422

number, 60, 83, 163

observation. *See* observation hive

products of the hive, 24–28

queenless, 17, 88, 166–68, 429, 592

stores, 411

thermodynamics, 624

top bar. *See* top bar hive

top entrance, 272

two queen hive, 203, 249, 530–31

ventilation, 134

width, 50

wintering, 160–61, 414–24

wrapping, 291, 416

hive stand, 575

hives

painting, 293

Holst milk test, 103



- honey, 28
  - harvesting, 143–54
- honey bee castes, 16
- honeycomb, 191
  - stains, 248
- horizontal hive, 280–81, 551–53
- Huber, François, 161, 366, 369, 376, 547, 580, 583, 584, 596
  - natural cell size, 10, 365
  - natural frame spacing, 400
- Hutchinson, W.Z., 261, 269, 302
- inner cover, 173–74, 219, 246
  - canvas, 494
  - top entrance, 419
- Jay Smith, 499
  - bottom board feeder, 192
  - queens, 18, 155, 162, 242, 453
- Koover, Charles, 406, 584
- Langstroth, L.L., 174, 391, 583, 606
- laying worker, 133, 223, 429–33
- Lusby, Dee and Ed, 10, 162, 361, 364, 373, 381, 382, 384, 578, 588, 605
- Mann Lake PF120. *See* frame
- mite. *See* Varroa mite, tracheal mite
- mortality, 177–78
- mouse guard, 160, 414
  - top entrance, 273
- moving bees, 442–49
  - myth, 130
  - queen excluder, 474
- myths of beekeeping, 125–37
- narrow frames
  - chalkbrood, 422
  - Nosema, 584
- native bees, 440
- natural cell size, 10–11, 30–31, 365, 588
- no treatment, 29, 35–36, 44, 45, 110, 117–18, 266, 364, 382, 451

- Nosema, 96–100
  - Fumagilin-B, 212
  - microflora, 434
  - N. apis*, 96, 228
  - N. ceranae*, 141
  - pH, 11, 36, 42
- nuc, 60
- observation hive, 62–67, 121, 554–67
  - foundationless frames, 555
  - wintering, 424
- package. See hive:installing packages
- packages, 60
  - race, 61
- parafoulbrood, 105
- parasitic mite syndrome, 230
- pests, 7, 87
  - adaptation to, 8, 372
  - resistance to treatment, 9, 267
- pollen, 26
- pollen trap, 26, 232
  - drone access, 263
  - misuse, 593
  - top entrance, 329
- predators, 87
- propolis, 25, 233
  - Caucasian honey bees, 196
  - scraping, 292
- queen, 16
  - buying, 7
  - double eggs, 131
  - emergency, 16, 132, 167, 452–55, 480, 501
  - finding, 119–24
  - hygienic, 102
  - locally adapted, 9, 38–40
  - no brood, 132
  - number per hive, 131
  - panacea for queen issues, 4
  - supersedure, 18
  - swarming, 18

- queen catcher, 56
- queen cells, 17, 106, 126, 180
  - destroying, 345
- queen excluder, 47, 166, 235, 262, 542
  - winter, 411, 415
- queen rearing, 452–57, 477–503
  - calendar, 491
  - Jay Smith, 498
  - mating nucs, 493–96
- queen rearing methods
  - accelerated, 184
  - Alley, 186
  - Better Queens, 191
  - Doolittle, 204, 482
  - Ezi Queen, 209
  - Hopkins, 217, 486
  - Jenter, 482
  - Miller, 226
  - Nicot, 228
  - Smith, 242
- races of honey bee, 438–41
- requeening, 106, 119, 169, 513
  - Africanized honey bees, 40
  - feral bees, 462
  - hot hive, 625–27
  - lazy beekeeping, 297
  - myths, 135
- robber screen, 90, 238
- robbing, 87–90, 238
- royal jelly, 28
- sacbrood, 104, 105, 230
- screened bottom board, 240, 415
  - Varroa mite, 110, 111
- Seeley, Tom, 528, 605
- small hive beetle, 116–17, 242
  - foundation, 51, 69
- splits, 141, 348–55
  - cut down, 351

- splits (cont.)
  - cutdown/combine, 352
  - even, 350
  - swarm control, 350
  - walk away, 350
- starter strip, 370, 379, 394, 395, 549
- stimulative feeding, 300
- stonebrood, 100, 435
- supersedure, 127, 244
  - parasitic mite syndrome, 190
  - queen cells, 126, 129
- survivor stock, 244, 381, *See* feral bees
- sustainable beekeeping, 9–11, 595
- swarm cell, 345, 412
  - artificial swarm, 512
  - location, 18, 129
  - removing, 289
  - split, 427
- swarm control, 289, 341–47, 426
  - checkerboarding, 198
  - cut down split, 345
  - Demaree, 203
  - myths, 128–29
  - opening brood nest, 589
  - top bar hive, 546
- swarming, 18–19
  - overcrowding, 480
  - reproductive, 480
- switching hive bodies, 294
- syrup, 243, 326–28
  - pH, 11, 100, 298
  - winter feeding, 303, 304
- Taylor, Richard, 174
  - burr comb, 287
  - do nothing, 3, 290
  - extractors, 143
  - lighter boxes, 279
- thelytoky, 247, 441

- top bar hive, 281–82, 379, 532–50
- top entrance, 47, 272–73, 329–36, 588
  - Elisha Gallup, 329
  - migratory cover, 173
  - preparing for winter, 160, 419, 543
  - ventilation, 548
- tracheal mite, 114–16
  - FGMO, 111
- uniform frame size, 274
- unsustainable beekeeping, 7–9
- Varroa mite, 107–14, 117
  - breaking brood cycle, 106, 352
  - capping time, 368
  - chemical treatment, 110, 267
  - colony losses, 141, 177
  - deformed wing virus, 202
  - monitoring, 110, 185, 243
  - natural cell size, 29, 68, 284, 365, 370, 385
  - parasitic mite syndrome, 230
  - pH, 100
  - phoretic phase, 231, 450
  - seasonal management, 411–12
  - species, 107, 250
  - treatment, 450
  - Varroa Sensitive Hygiene (VSH), 244
- washboarding, 176
- wax, 26
  - clean, 10, 31
  - clean foundation, 34
  - contamination, 9, 10, 35
- wax moth, 92–96
- worker, 19–20
- Wright, Walt, 188, 232, 347
- yearly cycle, 22, 24, 410